

# Built-in and Plug-in ELECTRIC FIREBOXES



## Plug-in Electric Fireboxes

## Multi•Fire XHD

Multi-Fire XHD<sup>™</sup> Flame Effect High-contrast flames feature improved brightness and character for a dazzling, lifelike effect.

#### Realogs<sup>®</sup>

Molded from meticulously selected and charred hardwood and positioned to maximize the illusion of depth and the appearance of burning firewood (XHD23L, XHD26L, XHD28L).

#### Acrylic Ice Media Bed

Light plays through different size pieces and sparkle in a spectrum of colors (XHD23G, XHD26G, XHD28G),

#### Customizable Flame

The Multi-Fire® technology allows you to adjust the speed of the flame to create the perfect atmosphere to suit your mood or room.

#### **Hidden Touch Controls**

Settings and temperature display are hidden when not in use.

#### **Media Accent Colors**

Choose from a variety of brilliant color themes or cycle through a range of colors using the custom mode, freezing on the hue of your choice.

#### **Built-in Timer**

Automatically turns the unit off after up to 8 hours.

#### LED Lighting

Flame and lights use brilliant, low-energy LED's that require zero maintenance.

#### **Powerful Heating**

Powerful fan-forced heater provides on-demand heat for up to 1,000 square feet.

#### **Multi-function Remote**

Control the fireplace features from the comfort of your chair.

#### (1) Just Plug It In

Simply plug into any standard household outlet for instant ambiance.

#### XHD28L

28" Plug-in Electric Firebox 27-3/8" x 23-1/2" x 7-1/2" (WxHxD 69.5 cm x 59.7 cm x 18.9 cm 120 V | 1,500 W | 5,000 BTU

**Cool Touch Glass** 



**XHDDW-KIT** 

#### XHD26G

26" Plug-in Electric Firebox

26" x 18-7/8" x 7-1/2" (WxHxD) 66.0 cm x 47.9 cm x 18.9 cm 120 V | 1,500 W | 5,000 BTU

All-season FlamesCool Touch Glass



Also available with Realogs® **XHD26L** 26" x 18-7/8" x 7-1/2" (WxHxD) 66.0 cm x 47.9 cm x 18.9 cm

#### XHD23L

23" Plug-in Electric Firebox 23" x 20-1/2" x 7-1/2" (WxHxD) 58.4 cm x 51.9 cm x 18.9 cm 120 V | 1,500 W | 5,000 BTU

All-season Flames



Optional Driftwood & River Rock Media Kit available for the XHD28G & XHD26G fireboxes XHDDW-KIT







Also available with Acrylic Ice **XHD23G** 23" x 20-1/2" x 7-1/2" (WxHxD) 58.4 cm x 51.9 cm x 18.9 cm

## Plug-in Electric Fireboxes





#### DF3015

30" Firebox with Logs 31-1/2" x 26-1/2" x 11-1/4" (WxHxD) 80.0 cm x 67.0 cm x 28.4 cm 120 V | 1,500 W | 5,000 BTU

- 😂 Inner glow logs
- Authentic brick-look interior

Adjustable flame speed and interior light controls

Heater Disable

## Plug-in Firebox Features

A blood of toobaology, artistry and arother

A blend of technology, artistry and craftsmanship that sets the standard for realism.

#### Supplemental Heating Includes a fan-forced heat

Includes a fan-forced heater that provides supplemental warmth for spaces up to 1,000 square feet.

#### Thermostat Control

Provides temperature control to ensure consistent comfort.

#### **All-season Flames**

Enjoy the unique charm of a fireplace 365 days a year using the flames without the heat.



**DF3033ST** 33" Firebox with Logs 33-1/8"x 23-3/8" x 9-5/8" (WxHxD) 84.1 cm x 59.4 cm x 24.2 cm 120 V | 780 W | 2,661 BTU

😂 Inner glow logs

Adjustable flame speed and interior light controls

Heater Disable

- Direct-wire option

**Cool-touch Glass** 

Glass remains cool making it safe for children and pets.

#### **Multi-function Remote**

Control 100% of the fireplace features from the comfort of your chair.

Just Plug It In

Simply plug into any standard household outlet for instant ambiance.

## Plug-in Electric Fireboxes

# MultioFire XD<sup>®</sup>

Wilti-Fire XD<sup>®</sup> Flame Effect Vivid flames that are brighter and more lifelike day or night.

#### **Realogs**®

Molded from meticulously selected and charred hardwood and positioned to maximize the illusion of depth and the appearance of burning firewood. (PF2325HL & PF3033HL)

#### Flame Accent Colors

Accent the flames with custom base colors from warm red to gas blue. (PF2325HL & PF3033HL)

#### **Media Accent Colors**

Choose from a variety of brilliant color themes or cycle through a range of colors using the custom mode, freezing on the hue of your choice. (PF2325HG & PF3033HG)

#### Comfort\$aver<sup>®</sup> Heating System

The patented Comfort\$aver® ceramic heating system warms up to 1,000 sq. ft. and uses 11% less energy than the leading quartz infrared heater by automatically adjusting fan speed and heater wattage to safely and precisely match the requirements of the room.

#### **Precision Thermostat**

- Electronic thermostat maintains room temperature within 1/2°C (1°F) for perfect comfort and increased energy efficiency.
- **Mood-maker Remote** Customize the light color and intensity for a fireplace that reflects your personality.

#### **All-season Flames**

Enjoy the unique charm of a fireplace 365 days a year using the flames without the heat.



#### **PF2325HL** 25" Multi-Fire XD® Firebox - Realogs® 25-7/8" x 18-7/8" x 9-1/4" (WxHxD) 65.7 cm x 47.9 cm x 23.3 cm 120 V | 1,500 W | 5,000 BTU

#### Heater Disable

🐸 Realogs®

Flame Accent Colors



#### **PF2325HG** 25" Multi-Fire XD® Firebox - Acrylic Ice 25-7/8" x 18-7/8" x 10-1/8" (WxHxD) 65.7 cm x 47.9 cm x 25.5 cm 120 V | 1,500 W | 5,000 BTU

- Heater Disable
- Media Accent Colors
- Precision Thermostat

#### PF3033HL

33" Multi-Fire XD<sup>®</sup> Firebox - Realogs<sup>®</sup> 32-7/8" x 23-3/8" x 9-3/8" (WxHxD) 83.7 cm x 59.3 cm x 23.8 cm 120 V | 1,500 W | 5,000 BTU



Heater Disable Realogs® Flame Accent Colors



#### PF3033HG

33" Multi-Fire XD® Firebox - Acrylic Ice 32-7/8" x 23-3/8" x 9-3/8" (WxHxD) 83.7 cm x 59.3 cm x 23.8 cm 120 V | 1,500 W | 5,000 BTU

- Heater Disable
- Media Accent Colors
- Precision Thermostat



## **Built-in Electric Fireboxes**

## 33" Slimline Built-in Firebox

**BFSL33** | 33" Slimline Built-in Firebox Includes 3-piece removable trim kit 32<sup>9</sup>/4" x 28<sup>1</sup>/4" x 9<sup>1</sup>/2" (WxHxD) 83.2 cm x 71.8 cm x 24.1 cm

120 Volts | 1,223 Watts | 4,931 BTU 208 Volts | 1,823 Watts | 6,220 BTU 240 Volts | 2,423 Watts | 8,267 BTU

Inner glow logs 3 Stage Remote Operates with or without heat

Doors & Trim Kits BFSL33DOOR

Single pane, tamperproof glass.

## 33" Built-in Firebox



#### BF33DXP | 33" Built-in Firebox

32<sup>3</sup>/4" x 28<sup>1</sup>/2" x 14<sup>1</sup>/4" (WxHxD) 83.2 cm x 73.5 cm x 36.2 cm

120 Volts | 1,440 Watts | 4,913 BTU 208 Volts | 2,100 Watts | 7,165 BTU 240 Volts | 2,700 Watts | 9,213 BTU

Authentic brick-look interior

- Direct wire

Operates with or without heat

鯦 Inner glow logs

Doors & Trim Kits BFGLASS33BLK 33" Tamperproof Glass Door

BFSDOOR33BLK 33" Glass Swing Doors, Black Accents BFDOOR33BLKSM 33" Bi-fold Look Glass Door

**BF4TRIM33** 4-piece Trim Kit, Black

### 39" Built-in Firebox

**BF39DXP** | 39" Built-in Firebox Shown with tamperproof glass door 38<sup>3</sup>/4" x 32<sup>3</sup>/4" x 15<sup>1</sup>/4" (WxHxD) 98.4 cm x 83.2 cm x 38.9 cm 120 Volts | 1,440 Watts | 4,913 BTU 208 Volts | 2,100 Watts | 7,165 BTU 240 Volts | 2,700 Watts | 9,213 BTU

Authentic brick-look interior Direct wire Operates with or without heat Inner glow logs

BFGLASS39BLK 39" Tamperproof Glass Door BFSDOOR39BLK 39" Glass Swing Doors, Black Accents

BFDOOR39BLKSM 39" Bi-fold Look Glass Door BF4TRIM39 4-piece Trim Kit, Black

## 39" Built-in Firebox



the second secon

**BF39STP** | 39" Built-in Firebox Shown with 4-piece trim kit

38<sup>3</sup>/4" x 32<sup>3</sup>/4" x 15<sup>1</sup>/4" (WxHxD) 98.4 cm x 83.2 cm x 38.7 cm

120 Volts | 1,440 Watts | 4,913 BTU 208 Volts | 2,100 Watts | 7,165 BTU 240 Volts | 2,700 Watts | 9,213 BTU

- Direct wire

Operates with or without heat

Doors & Trim Kits BFGLASS39BLK 39" Tamperproof Glass Door

BFSDOOR39BLK 39" Glass Swing Doors, Black Accents

BFDOOR39BLKSM 39" Bi-fold Look Glass Door

**BF4TRIM39** 4-piece Trim Kit, Black

## Built-in Electric Firebox Accessories

## Door Kits

## **Tamperproof Glass Door**

BFSL33DOOR | For BFSL33 BFGLASS33BLK | For BF33DXP BFGLASS39BLK | For BF39STP, BF39DXP BFGLASS45BLK | For BF45DXP



**Swing Door** BFSDOOR39BLK | For BF39STP, BF39DXP

## **Control** Options



Remote Control Kit



**TS521W** Wall-mount Thermostat



**Glass Bi-fold Look Door** BFDOOR33BLKSM | For BF33DXP BFDOOR39BLKSM | For BF39STP. BF39DXP BFDOOR45BLKSM | For BF45DXP

## Trim Kit



**Trim Kit** 

3" Black Surround Trim, for use as 3-piece or 4-piece

BF4TRIM33 | For BF33DXP BF4TRIM39 | For BF39STP, BF39DXP BF4TRIM45 | For BF45DXP



**BFRC-KIT** 3-stage Remote Control Kit (included with BFSL33)



Plug Kit, includes

240 Volts | 2,700 Watts | 9,213 BTU Authentic brick-look interior **Direct wire Operates with or without heat** Inner glow logs

45" Built-in Firebox

443/4" x 323/4" x 153/8" (WxHxD) 113.5 cm x 83.1 cm x 38.9 cm 120 Volts | 1,440 Watts | 4,913 BTU 208 Volts | 2,100 Watts | 7,165 BTU

Bi-fold Look Glass Door Kit and Black Trim Kit

#### **Doors & Trim Kits**

**BFGLASS45BLK** 45" Tamperproof Glass Door BF4TRIM45

4-piece Trim Kit, Black





## **Built-in Electric Firebox Features**

#### The Original Dimplex Flame Effect<sup>™</sup>

A blend of technology, artistry and craftsmanship that sets the standard for realism.

#### **Primary Heating**

Option to use 208/240 volt supply for up to 9,200 BTU - use as part of primary heating plan.

#### **All-season Flames**

Enjoy the unique charm of a fireplace 365 days a year using the flames without the heat.

#### **Direct-wire**

Designed to be direct-wired to a 120, 208 or 240 volt circuit for a seamless look (optional plug kit available).

#### **Cool-touch Glass**

Glass remains cool making it safe for children and pets.

#### Frame, Wire and Finish

Basic installation requires fewer tradespeople, no gas lines, venting or chimney.

#### Economical

Economical to operate costing only pennies per hour.\*

#### **Heater Disable**

Easily disable the heater for tamperproof operation in commercial and residential installations.

#### **Options**

Door kits, trim kits and control options available.

## Plug-in Electric Fireplace Insert





DFI2310 | 23" Deluxe Fireplace Insert 23-1/4" x 19-1/2" x 10-3/4" (WxHxD) 59 cm x 49.5 cm x 27.0 cm 120 Volts | 1,375 Watts | 4,692 BTU Expandable trim kit available DFI23TRIMX

😂 Inner glow logs

Operates with or without heat

- **Suilt-in fan-forced heater**
- Ö On/off remote

## Specifications

Product	Dimensions (WxHxD)	Volts	Watts	BTU	Wty
XHD23L XHD23G	23" x 20-1/2" x 7-1/2" 58.4 cm x 51.9 cm x 18.9 cm	120 V	1,500 W	5,000	2 yrs
XHD26L XHD26G	26" x 18-7/8" x 7-1/2" 66.0 cm x 47.9 cm x 18.9 cm	120 V	1,500 W	5,000	2 yrs
XHD28L XHD28G	27-3/8" x 23-1/2" x 7-1/2" 69.5 cm x 59.7 cm x 18.9 cm	120 V	1,500 W	5,000	2 yrs
PF2325HL	25-7/8" x 18-7/8" x 9-1/4" 65.7 cm x 47.9 cm x 23.3 cm	120 V	1,500 W	5,000	1 yr
PF2325HG	25-7/8" x 18-7/8" x 10-1/8" 65.7 cm x 47.9 cm x 25.5 cm	120 V	1,500 W	5,000	1 yr
PF3033HL PF3033HG	32-7/8" x 23-3/8" x 9-3/8" 83.7 cm x 59.3 cm x 23.3 cm	120 V	1,500 W	5,000	1 yr
DF3015	31-1/2" x 26-1/2" x 11-1/4" 80.0 cm x 67.0 cm x 28.4 cm	120 V	1,500 W	5,000	5 yrs
DF3033ST	33-1/8" x 23-3/8" x 9-5/8" 84.1 cm x 59.4 cm x 24.2 cm	120 V	780 W	2,661	5 yrs
BFSL33	32-3/4" x 28-1/4" x 9-1/2" 83.2 cm x 71.8 cm x 24.1 cm	120 V 208 V 240 V	1,223 W 1,823 W 2,423 W	4,173 6,220 8,267	2 yrs
BF33DXP	32-3/4" x 28-1/2" x 14-1/4" 83.2 cm x 73.5 cm x 36.2 cm	120 V 208 V 240 V	1,440 W 2,100 W 2,700 W	4,913 7,165 9,213	2 yrs
BF39DXP BF39STP	38-3/4" x 32-3/4" x 15-1/4" 98.4 cm x 83.2 cm x 38.9 cm	120 V 208 V 240 V	1,440 W 2,100 W 2,700 W	4,913 7,165 9,213	2 yrs
BF45DXP	44-3/4" x 32-3/4" x 15-3/8" 113.5 cm x 83.1 cm x 38.9 cm	120 V 208 V 240 V	1,440 W 2,100 W 2,700 W	4,913 7,165 9,213	2 yrs
DFI2310	23-1/4" x 19-1/2" x 10-3/4" 59.0 cm x 49.5 cm x 27.0 cm	120 V	1,375 W	4,692	1 yr

Your authorized Dimplex dealer:

For more information and product specifications, please visit dimplex.com

Visit us online at: www.dimplex.com





Enhancing the moments that matter in life.

